

Maharashtra University of Health Sciences, Nashik

Following documents need to be available on website

Trust Deed/Bylaws/Registration Certificate (Trust/Hospital (Bombay Nursing Act))

Faculty Nursing

Name of College/Institute :- Ram Ramtan B.sc Nursing College Bhokar

Name of Trust/ Society	Jeevan Jyot Samajik Sanstha Tq. Bhokar Dist. Nanded
Registration Certificate To be uploaded on website clear and original copy	Trust/Society :- To be uploaded on website
	Trust Deed/Bylaws :- To be uploaded on website
	Hospital Ownership Documents :-
	Hospital (Bombay Nursing Act) :- To be uploaded on website
MPCB Certificate of Parent Hospital :- To be uploaded on website	
Hospital Type as Per Bombay Nursing Act :-	
Hospital (Bombay Nursing Act) issuing Authority :-	
Hospital Bed as per Certificate :-	
Name of the College/Institute (As per First Affiliation letter)	: Jeevan Jyot Samajik Sanstha Tq. Bhokar Dist. Nanded Ram Ramtan B.sc Nursing College Bhokar Trimurti Campus Bhokar
Address	: Trimurti Campus Bhokar TQ. Bhokar Dist. Nanded
Email ID	: ramratanbscnursing@gmail.com
Telephone/Mobile No.(s)	: 9975549000
Website	: rbnc.edu.in
College Code	: 154172

Hereby I declare all relevant documents uploaded are clear and visible on website & are true as per my best knowledge

Any Other, Please Specify :-

Date:-

Chairman of LIC

Member of LIC

PRINCIPAL
BSC Nursing College
Bhokar Dist. Nanded.

Member of LIC

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

Date: 20/10/2025

ORANGE/S.S.I

No:- Format1.0/PSO/UAN No.0000259160/CO/2510001757

To,
SHREE GANGA HOSPITAL
Plot 48 And 49, Wadiya Factory Area, Shivaji Nagar
Nanded -431601
Email:nandedhospital2022@gmail.com
Contact No.:9049939731



Your Service is Our Duty



Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. PSO/UAN NO.0000214990/CO/2411000673 dtd.13.11.2024
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 04/09/2025
 3. SRO Nanded Report dtd. 07.10.2025
 4. This office email dtd. 10.10.2025

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined Consent to Operate and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **16-08-2025 To 15-08-2031**
2. HCF Area : - Plot Area 702.00 M² with Built-up area 1631.00 M².
3. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 498 valid upto 31-03-2026)
4. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 35 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**

3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

5. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge		10	Kg/M	

7. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

8. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- 9.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 10.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
- 11.** You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. You shall submit the bank guarantee of Rs. 50,000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Chhatrapati Sambhajinagar within 15 days. Non submission of B.G. in specified time shall attract 12% interest on BG amount

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Ranjay

52b1201e
e831ea25
9bb2d7dc
9a5d3a2e
d3801966
d109fe62
8397b18f
b624a1a1

Signed by: Dr. Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2025-10-20 09:19:34 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2509000681	04/09/2025	Online Payment
2	4833.00	TXN2510003087	16/10/2025	Online Payment

As per the earlier CCA dated 13.11.2024 (UAN No. 0000214990), the balance payment of Rs. 1.00 Lakhs with the Board has been considered with this application. Out of this amount, Rs. 45,000/- has been considered as the consent fee. The remaining balance of Rs. 55,000/- shall be retained by the Board and will be adjusted during the renewal of the next CCA.

Copy to:

1. Regional Officer, MPCB, Chhatrapati Sambhajinagar and Sub-Regional Officer, MPCB, Nanded
- You are directed to ensure the compliance of the consent conditions & BG imposed.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	30.00
3.	Pathology Laboratory, Floor washing, Operation Theater	5.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	25	As per clause 'C'	Recycle & treated sewage used for flushing & Gardening & remaining send to local body sewer line.
2	Trade effluent	4	As per clause 'C'	100% Recycle

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set 200 KVA	Diesel	5.00 Ltr/Hr	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	80.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	185.00		
		d) Expired or Discarded Medicines	65.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	70.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	50.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	160.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
3	White (Translucent)	Waste sharps including Metals	85.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
4	Blue	a) Glassware	35.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
		b) Metallic body implants	20.00		

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Chhatrapati Sambhajnagar and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees


1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To comply the conditions mention in Combined Consent to Operate and BMW Authorization.	Continuous	50,000.00
Total			50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122



General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Chhatrapati Sambhajinagar.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.





नांदेड वाघाळा शहर महानगरपालिका, नांदेड

महानगरपालिका भवन, श्री. गुरु गोबिंदसिंघजी स्मारक रुग्णालयासमोर, नांदेड - ४३९ ६०२



दूरध्वनी : 02462-234710, 234577 संकेत स्थळ : www.nwcmc.gov.in ई मेल : info@nwcmc.gov.in

प्रमाणपत्र क्रमांक : 202509

पर्यंत वैध 15-09-2026



अग्निशमन ना हरकत नूतनीकरण प्रमाणपत्र

प्रति,

श्री. VIJAY BALAJI KAGNE
Shree Superspeciality Hospital Pvt Ltd Shree Ganga Hospital,
Wadia factory area shivaji nagar nanded,

महाराष्ट्र आग प्रतिबंधक व जीवसंरक्षक उपाययोजना अधिनियम 2006 मधील तरतुदीनुसार सदर अग्निशमन ना हरकत नूतनीकरण प्रमाणपत्र पुढील पृष्ठावरील अटी व शर्तीच्या अधिन राहून निर्गमित करण्यात येत आहे.

प्रस्तावामध्ये दाखल केलेल्या अभिलेखानुसार इमारतीचा तपशील खालीलप्रमाणे आहे.

अ.क्र.	तपशील	विवरण				
अग्निशमन ना हरकत प्रमाणपत्र (अंतिम) क्रमांक						
1	मालमत्ताधारकाचे / भोगवटादाराचे नाव	VIJAY BALAJI KAGNE				
2	मालमत्ता क्रमांक (PIN No)	40101110009				
3	मालमत्तेचा पत्ता					
4	मालमत्ता धारकाचे / भोगवटादाराचे भ्रमणध्वनी क्रमांक	9647471001				
5	मालमत्ता धारकाचे / भोगवटादाराचे ई मेल	gangahospitananded@gmail.com				
6	महानगरपालिका परीक्षेत्र क्रमांक (Zone No)	Zone-03				
8	भुखंडाचे क्षेत्रफळ (चौ.मी)	702.22				
9	इमारतीची एकूण उंची (मी.)	16.00				
प्रमाणपत्र 'ब' देणाऱ्या शासन मान्य अनुज्ञाप्रीधारकाचा व तपासणी केल्याचा तपशील						
अ	एजन्सी पूर्ण नांव (Agency Full Name)	KOHINOOR SAFETY SERVICES				
ब	अनुज्ञाप्री क्रमांक	MFS/LA/RF-10/RD-10				
क	पत्ता (Address)	477, ambedkar society puriwala parksite, vikhroli west mumbai * 400079				
ड	संपर्क क्रमांक (Contact No)	9867982425				
इ	ई मेल (E Mail)	kohinoorsafetyservices@gmail.com				
ई	प्रमाणपत्र 'अ' क्र.	KSS/2024/25/A-1748				
		दिनांक 11-03-2025				
11	अग्निशमन व आणीबाणी सेवा विभाग, नांदेड वाघाळा शहर महानगरपालिका, नांदेड यांचे कडुन तपासणी केल्याचा दिनांक	13-09-2025				
12	पायऱ्यांची संख्या	5				
13	उद्दाहन असल्यास त्यांची संख्या	2				
इमारतीच्या बांधकामाचा तपशील						
अ.क्र.	मजल्याचा तपशील	(अ) इमारतीच्या भोगवट्याचा मुख्य प्रकार	(ब) इमारतीच्या भोगवट्याचा उपप्रकार	मजल्याचा वापर	बांधकाम क्षेत्रफळ (चौ.मी.)	मजल्याची उंची (मी)
1	Basement	C-1-Institutional	C-1-Hospitals and sanatoria - More than Two Floor and Beded	Commercial	38.12	1.20
2	First Floor	C-1-Institutional	C-1-Hospitals and sanatoria - More than Two Floor and Beded	Commercial	318.66	3.00
3	Second Floor	C-1-Institutional	C-1-Hospitals and sanatoria - More than Two Floor and Beded	Commercial	318.66	3.00
4	Third Floor	C-1-Institutional	C-1-Hospitals and sanatoria - More than Two Floor and Beded	Commercial	318.66	3.00
5	Fourth Floor	C-1-Institutional	C-1-Hospitals and sanatoria - More than Two Floor and Beded	Commercial	318.66	3.00
एकूण					1312.76	13.2

* राष्ट्रीय इमारत संहिता - 2016 नुसार

- आपल्या प्रस्तावानुसार आणि आपणास यापूर्वी निर्गमित केलेल्या अग्निशमन ना हरकत प्रमाणपत्र (तात्पुरते) मधील आग प्रतिबंधक उपाययोजना संदर्भात महाराष्ट्र आग प्रतिबंधक व जीवसंरक्षक उपाययोजना अधिनियम 2006 मध्ये निर्देशित केल्याप्रमाणे सदर इमारतीस शासन मान्य अनुज्ञाप्रीधारक यांनी दिलेल्या प्रमाणपत्र 'अ' व त्याच्यासोबत जोडलेल्या यादीनुसार आग प्रतिबंधक साहित्याची अग्निशमन व आणीबाणी सेवा विभाग, नांदेड वाघाळा शहर महानगरपालिका, नांदेड यांचे कडुन तपासणी केली असता, अग्निशमन ना हरकत प्रमाणपत्र (तात्पुरते) मधील शिफारशीची पूर्तता केली असल्याचे आढळून आले आहे.
- महाराष्ट्र आग प्रतिबंधक व जीवसंरक्षक उपाययोजना अधिनियम 2006 मधील कलम क्र. 3 मधील पोट कलम 3 नुसार अर्जदाराने आग प्रतिबंधक जीवसंरक्षक उपाययोजनांची तरतुद केली आहे या बाबतचे लायसन्स प्राप्त अभिकरणा कडुन दिलेले विहित नमुण्यातील प्रमाणपत्र व पोट कलम (1) मध्ये विनिर्दिष्ट केल्याप्रमाणे दुरुस्त आणि कार्यक्षम स्थितीत ठेवल्याबाबतचे विहित नमुण्यातील प्रमाणपत्र 'ब' मुख्य अग्निशमन अधिकारी यांचेकडे वर्षातून दोन वेळा (जानेवारी व जुलै या महिन्यामध्ये) सादर करावे.
- सदरचे अग्निशमन ना हरकत प्रमाणपत्र (अंतिम) हे निर्गमित केलेल्या दिनांकापासून एक वर्षाकरिता वैध राहिल.

04. विहित मुदतीनंतर सदर ना हरकत प्रमाणपत्राचे नूतनीकरण करण्याची जबाबदारी सर्वस्वी आपली राहिल.
05. सदर अग्निशमन ना हरकत प्रमाणपत्र (अंतिम) हे निर्गमित केलेल्या दिनांकापासून प्रस्तुत इमारतीत अग्निशमन प्रतिबंधात्मक उपाययोजना सुस्थितीत नसल्यास तसेच अग्निशमन यंत्रणेत काही त्रुटी आढळल्याबद्दल आपणास नोटीस मिळाली असेल किंवा त्या ठिकाणी आगी पासुन कुठलीही घटना घडली असेल तर हे प्रमाणपत्र पुढील प्रमाणपत्र निर्गमित होईपर्यंत अवैध होईल.
06. तपासणी दरम्यान आढळून आलेली आग प्रतिबंधात्मक व जीव संरक्षक उपाययोजना ही भविष्यात तशीच, सुरक्षित आणि वापर करण्या योग्य राहिल याची दक्षता घ्यावी.
07. महाराष्ट्र आग प्रतिबंधक व जीवसंरक्षक उपाययोजना अधिनियम 2006 व राष्ट्रीय इमारत संहिता 2016 अंतर्गत अटीची पूर्तता न केल्यास सदर इमारतीचा विकासक/ मालक/ भाडेकरू व भोगवटदार जो कोणी असेल तो स्वतः भविष्यातील नुकसानीला जबाबदार राहिल.
08. अग्निशमन प्रतिबंधकात्मक उपाययोजनेसाठी आवश्यक माहितीसाठी संकेतस्थळ : www.mahafireservices.org.
09. सदर इमारतीच्या ठिकाणी अग्निशमन वाहनास व अग्निशमन दलास पोहचण्यासाठी आवश्यक जागा व रस्ता असणे बंधनकारक राहिल.
10. सर्व अग्निशमन प्रतिबंधात्मक साहित्य हे सुस्थितीत तसेच तात्काळ उपलब्ध होईल अशा ठिकाणी ठेवण्याची आपली जबाबदारी राहिल.
11. आपत्कालीन दुरध्वनी क्रमांक जसे पोलीस - 100, अग्निशमन - 101, 02462-252555, रुग्णवाहिका - 108 इ. सदर इमारतीच्या दर्शनी भागामध्ये लावणे बंधनकारक आहे.
12. सदर इमारतीमध्ये आवश्यक ती स्वच्छता बाळगणे बंधनकारक आहे.
13. सदर इमारतीमध्ये उष्णतावर्धक काम करावयाचे असल्यास मुख्य अग्निशमन अधिकारी, अग्निशमन विभाग, नांदेड वाघाळा शहर महानगरपालिका, नांदेड यांची परवानगी घेणे बंधनकारक राहिल.
14. भविष्यामध्ये सदर इमारतीमध्ये वाढ, दुरुस्ती अथवा इतर कोणताही बदल करावयाचा असल्यास त्या बाबत मुख्य अग्निशमन अधिकारी, अग्निशमन विभाग, नांदेड वाघाळा शहर महानगरपालिका, नांदेड यांची परवानगी घेणे बंधनकारक राहिल.
15. महाराष्ट्र आग प्रतिबंधक व जीवसंरक्षक उपाययोजना अधिनियम 2006 मधील सर्व अटी व शर्तीची पूर्तता करणे तसेच भविष्यात होणाऱ्या सर्व बदलांची पूर्तता करणे, नियोजित वाढ किंवा इमारतीचे हस्तांतरणासाठी मुख्य अग्निशमन अधिकारी, अग्निशमन विभाग, नांदेड वाघाळा शहर महानगरपालिका, नांदेड यांचे ना हरकत प्रमाणपत्र घेणे आवश्यक आहे.
16. सदर इमारतीमध्ये आवश्यक क्षमतेचा पाण्याचा हौद मोटार पंपासह नेहमीसाठी पाण्याने भरून असणे बंधनकारक आहे.
17. सर्व आवश्यक अग्निशमन प्रतिबंधात्मक साहित्य जसे की, Fire Extinguisher, Fire Bucket, ISI : 2190 मार्कच्या दर्जाचे असणे बंधनकारक राहिल.
18. सदर इमारतीमधील सुरक्षारक्षक दल आणि प्रत्येक कर्मचारी हा अग्निशमन प्रतिबंधात्मक साहित्य हाताळण्यामध्ये प्रशिक्षित असणे बंधनकारक आहे, तसेच किमान एक प्रशिक्षित कर्मचारी हा नेहमी इमारतीमध्ये उपस्थित राहणे बंधनकारक आहे.
19. सर्व विद्युत उपकरणे व इतर विद्युत साहित्य हे अग्नि अवरोधक असणे बंधनकारक राहिल..
20. महाराष्ट्र आग प्रतिबंधक व जीवसंरक्षक उपाययोजना अधिनियम 2006 नुसार लावण्यात येणारी अग्निशमन सेवा फी/मनपा फीस नजर चुकीने कमी आकारण्यात आल्यास, होणारी फरकाची रक्कम नूतनीकरण प्रमाणपत्र घेते वेळेस भरावी लागेल.
21. संवैधानिक तरतुदीमध्ये वारंवार होणाऱ्या बदलास अधिन राहून या मध्ये अतिरिक्त सुचना देण्याचा अधिकार निम्न स्वाक्षरीकृत्यानि राखून ठेवण्यात आला आहे.
22. सदर अग्निशमन ना हरकत प्रमाणपत्र (अंतिम)ची वैधता सदर प्रमाणपत्र निर्गमित केल्यापासून एक वर्ष असेल. त्यानंतर सदर प्रमाणपत्राचे नूतनीकरण करण्याची जबाबदारी आपली राहिल.
23. अधिक माहितीसाठी संपर्काचा पत्ता :

अग्निशमन अधिकारी,

अग्निशमन व आणीबाणी सेवा विभाग,

नांदेड वाघाळा शहर महानगरपालिका, नांदेड

लेबर कॉलनी, महात्मा फुले मार्केट पाठीमागे, गणेशनगर रोड, नांदेड - 431602

दुरध्वनी क्रमांक : 101, 02462 - 252555

संकेतस्थळ : www.nwcmc.gov.in

इ-मेल : info@nwcmc.gov.in आणि fire@nwcmc.gov.in


दिनांक : 16-09-2025

स्थळ : नांदेड

प्रत माहितीस्तव :

मा. आयुक्त, नांदेड वाघाळा शहर महानगरपालिका, नांदेड

मालमत्ता कर वेळेवर भरून महानगरपालिकेस सहकार्य करा, दंडात्मक कार्यवाही टाळा.



(केरोजी दासरे)

अग्निशमन अधिकारी

नांदेड वाघाळा शहर महानगरपालिका, नांदेड



SUPERB

HYGIENIC DISPOSALS
(INDIA) PVT. LTD.

Reg Off. - C.J. Forever, Plot No. 50-A,
4th Floor, Central Bazar Road,
Bajaj Nagar, Nagpur - 440010
Email : info@superbgroup.in
CIN: U74999MH2005PTC152143



Maharashtra Pollution Control Board
महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Unique Registration No.: NAHP0012



Registration Certificate



Date: 23-Jan-2026

Outward No.: SPL/25-26/000304

This is to certify that **SHREE GANGA HOSPITAL (H001011), PLOT NO. 48, 49 WADIYA FACTORY AREA, SHIVAJI NAGAR, NANDED -431605** is registered with SUPERB HYGIENIC DISPOSALS (I) PVT LTD, NANDED for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1. Authorized Person of HCE
(Name and Designation)

DR VIJAY BALAJI KAGNE
DIRECTOR

2. Bombay Nursing Home Act Registration Details

- a. BNH Registration Number
b. BNH Issue Date
c. Total Number of Beds
d. BNH Validity (Form 'C')

498
20-Jul-2023
100
31-Mar-2026

3. Common Treatment Facility Registration Details

- a. Date of Registration
b. No. of Beds Registered
c. Registration Validity

02-Feb-2023
100
31-Mar-2027

4. Renewal of CTF Membership (if applicable)

- a. Renewal Date
b. No. of Beds Registered

31-Mar-2027
100

5. MPCB Consent (Establish/ 1st Operate/Renewal) Details

- a. Consent/ CCA Number
b. Issue Date
d. Validity up to

FORMAT1.0/PSO/UAN
NO.0000259160/CO/2510001757
20-Oct-2025
15-Aug-2031



DR VIJAY KAGNE

For SUPERB HYGIENIC DISPOSALS (I) PVT LTD

Note : HCE shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.

Chandrapur Branch Off - Shree Laxmi Chamber, 2nd Floor, Office No. 203/204, Behind CDCC Bank, Chandrapur MH India - 442 401
Ph. : 0712-298787, 97678 96678 | 97678 96672 | www.superbgroup.in | E : superb.chandrapur@gmail.com

Nanded Branch Off - 218, Raj Mall, Level-2, Anand Nagar, NANDED MH, India - 431605 Ph. 8888492080 | www.superbgroup.in | E : superb.nanded@gmail.com

फेरफार अर्जाचा नमुना

परिशिष्ट-३

(कानून -१३(१) पहा)

सार्वजनिक ट्रस्टच्या रजिस्ट्रात नमुद केलेल्या तपशिलाचा झालेला किंवा करण्याची इच्छा असलेला फेरफार संबधी रिपोर्ट.

सार्वजनिक न्यासाचे नाव :- जीवन ज्योत सामाजिक संस्था, आष्टी (तांडा) ता.हदगांव जि. नांदेड.
नोंदणी क्रमांक एफ :-१६६१६ (नांदेड)

फेरफाराचे स्वरूप फेरफाराची कारणे शेरा

संस्थेच्या घटनेतील तरतुदी प्रमाणे सभासद संख्या वाढ करणे चावत.

संस्थेच्या घटनेतील नियम क्र. ९ मधील तरतुदी प्रमाणे

०८) रिक्त

०९) रिक्त

संस्थेच्या घटनेतील तरतुदी प्रमाणे सभासद संख्या वाढ करणे चावत.

संस्थेच्या घटनेतील नियम क्र. ९ मधील तरतुदी प्रमाणे

वाढ करण्यात आलेल्या सभासदांची नावे.

०८) विजय बालाजी कागणे सदस्य रा. शास्त्री नगर नांदेड ता. जि. नांदेड
०९) सावित्राबाई देवराव चव्हाण सदस्य रा. शिवाजी नगर मुदखेड ता. मुदखेड जि. नांदेड


ठिकाण :-

सत्यापन

दिनांक :-

रिपोर्ट देणाऱ्या विश्वस्ताची सही

मी लक्ष्मण रतन जाधव, वय:- ४२ वर्षे, व्यवसाय :- खाजगी नौकरी, रा. मु.पो.आष्टी (तांडा)ता.हदगांव जि.नांदेड प्रतिज्ञापुर्वक एकरार करतो की, वरील अर्जात दिलेली माहिती व मजकूर माझे माहिती प्रमाणे व समजुती प्रमाणे खरा आहे. करीता प्रतिज्ञापुर्वक एकरार करतां.



अर्जदाराची सही

०९/०७/२५
सार्वजनिक न्यास नोंदणी कार्यालय
नांदेड विभाग नांदेड

Scanned with OKEN Scanner

PRINCIPAL
Ramratan BSC Nursing College
Bhokar Dist. Nanded.

संमती प्रमाणपत्र

प्रति,

मा. सहायक धर्मादाय आयुक्त,

नांदेड विभाग नांदेड.

विषय:- जीवन ज्योत सामाजिक संस्था, आष्टी (तांढा) ता.हदगांव जि. नांदेड.

नोंदणी क्रमांक

एफ :- १६६१६ (नांदेड)

फेरफाराचा चौकशी क्र. _____

महोदय,

लक्ष्मण रतन जाधव, यांनी वर विषयात नमुद केलेल्या सार्वजनिक न्यायासाच्या विश्वस्तामध्य झालेल्या फेरफाराबाबत मुंबई सार्वजनिक न्यास अधिनियम १९५० चे कलम २२ प्रमाणे दि. / / २०२५ रोजी फेरफार अर्ज दाखल केला आहे त्या फेरफार अर्जातील सर्व माहिती खरी आहे आम्हाला त्या संबधी जास्त काही सांगावयाचे नाही. सदर फेरफार अर्जाची सुणावणीसाठी स्वतंत्र नोटीस आम्हाला काढण्याची आवश्यकता नाही. फेरफार अर्जाप्रमाणे आमचे नांव विश्वस्त म्हणून नोंद होण्यास आम्ही संमती देत आहोत -

अनु. क्र. सभासदांचे संपूर्ण नांव

सहया


०८) विजय बालाजी कागणे

सदस्य



०९) सावित्राबाई देवराव चव्हाण


सदस्य



दिनांक :- / / २०२५

ठिकाण :-

वरील सर्व सहया मी ओळखतो




PRINCIPAL
Ramratan BSC Nursing College
Bhokar Dist. Nanded.

नाहरकत प्रमाणपत्र

प्रति,

मा. सहाय्यक घर्मादाय आयुक्त,
नांदेड विभाग नांदेड.

विषय:- जीवन ज्योत सामाजिक संस्था, आष्टी (तांडा) ता.हदगांव जि. नांदेड.

नोंदणी क्रमांक

एफ :- १६६३६ (नांदेड)

फेरफारचा चौकशी क्र. _____

महोदय,

लक्ष्मण रतन जाधव, यांनी वर विषयात नमूद केलेल्या सार्वजनिक न्यायासाच्या विश्वस्तामध्यं झालेल्या फेरफारबाबत मुंबई सार्वजनिक न्यास अधिनियम १९५० चे कलम २२ प्रमाणे दि. / / २०२५ रोजी फेरफार अर्ज दाखल केला आहे त्या फेरफार अर्जातील सर्व माहिती खरी आहे आम्हाला त्या संबंधी जास्त काही सांगावयाचे नाही. सदर फेरफार अर्जाची सुणावणीसाठी स्वतंत्र नोंटास आम्हाला काढण्याची आवश्यकता नाही. फेरफार अर्जाप्रमाणे आमचे नांव विश्वस्त म्हणून नोंद होण्यास आम्ही नाहरकत देत आहोत -

अनु. क्र. सभासदांचे संपूर्ण नांव

सहया

निरंक

दिनांक :- / / २०२५

ठिकाण :-

वरील सर्व सहया मी ओळखतो

Barkar

PRINCIPAL
Ramratan BSC Nursing College
Bhokar Dist. Nanded.